



# LEXMARK<sup>TM</sup>

## PRODUCT ENVIRONMENTAL PROFILE



Model: Lexmark P450 Series

### PRODUCT DESCRIPTION

Measurements provided are for a non-packaged product.

Weight	2.95 kg		6.5 lbs (Operational)
Width	276 mm		10.87 inches
Depth	235 mm		9.25 inches
Length	153 mm		6 inches

With any lift, use proper lifting procedures. For additional information consult the setup guide.



### ENVIRONMENTAL CERTIFICATIONS

This product conforms to the following voluntary environmental program criteria:



### DESIGN FOR ENVIRONMENT

**Reduce and Conserve**—Lexmark has designed this product with the following additional features to help our users conserve resources:

Draft mode saves ink

Power Saver Mode-reduces energy consumption



#### **Recyclability**

Mechanical plastic parts over 100g consist of one or easily separable materials.

Gluing and welding of different materials has been avoided.



**Longevity and upgrading**—For a complete list of upgrades available, go to [www.lexmark.com](http://www.lexmark.com)

Standard Warranty

1 year



This product can be upgraded, or its useful life extended as follows:



Model: P450

## OPERATIONAL DATA

Speed (Mono/Color) Up to: 85 seconds

Power (W)	Operation	15
	Power Save	8.5
Acoustic Noise	Operation	41 dBA
	Ready	Silent

## PRODUCT SAFETY

Material Safety Data Sheets are available for Lexmark Printer supplies at:

<http://www.lexmark.com/US/msds>

Additional safety information about this product is in the User's Reference and at:

[www.lexmark.com](http://www.lexmark.com)

## BATTERY USAGE

This product does not contain batteries.

## PRODUCT RESTRICTED MATERIALS

Lexmark is committed to meeting the requirements of the Restriction of Hazardous Substances Directive (2002/95/EC) and has taken strong steps to meet the Waste of Electrical and Electronic Equipment (2002/96/EC)

In addition to restricting the use of lead, cadmium, mercury (except small amounts allowed for lamps (10 mg)), hexavalent chromium, polybrominated biphenyls, and polybrominated diphenyl ethers per the RoHS Directive, the product also does not contain:

Asbestos  
Short chain chlorinated paraffines  
Polychlorinated biphenyls  
Polychlorinated phenols  
Polychlorinated terphenyls  
Ozone depleting chemicals  
Brominated flame retardants

## PACKAGING

Packaging Weight by Type (kg)

Corrugated	0.55
Polystyrene foam	0.068
Polyethylene	0.003

Plastic packaging materials are marked according to DIN 6120, ISO 11469 or ISO 1043.

Plastic packaging is free from chlorine.

## END-OF-LIFE MANAGEMENT/RECYCLING

Lexmark offers customers an environmentally responsible choice for disposal of their end-of-life printers—the Lexmark Equipment Collection Program. Through this program, customers may return any end-of-life Lexmark branded products, and Lexmark will recycle the equipment for free.

## COMPANY INFORMATION

Lexmark International, Inc. (NYSE: LXX) makes it easier for businesses and consumers to move information between the digital and paper worlds. Since our inception in 1991 as a spin-off of IBM, Lexmark has become a leading developer, manufacturer and supplier of printing and imaging solutions for offices and homes. Lexmark's products include laser printers, inkjet printers, multifunction devices and associated supplies, services and solutions.

Our Corporate Social Responsibility (CSR) activities are fundamentally guided by the Lexmark vision and values – the cornerstone of the corporate character we have built at Lexmark. Lexmark is committed to acting as a socially responsible company in our global community. This means that we will fully comply with the laws, rules and regulations of the countries in which we operate. It also means that we will go further by continually evaluating our business practices using the principle of sustainability.



For more information visit: [www.lexmark.com](http://www.lexmark.com)